


The industry's most versatile mobile cart system for videoconferencing and presentation applications.




Display Capacity	Part #	Description	Base Capacity	Frame Capacity
Single 42"- 80"	VTC-4280S	Mobile Videoconferencing/Presentation Cart	3 rackspaces	4 rackspaces + 10" Lever Lock plate
Dual 42" - 55"	VTC-4255D	Mobile Videoconferencing/Presentation Cart	3 rackspaces	4 rackspaces + 10" Lever Lock plate
Dual 56" - 70"	VTC-5670D	Mobile Videoconferencing/Presentation Cart	3 rackspaces	4 rackspaces + 10" Lever Lock plate
Single 42" - 80"	VTC-4280S-R	Mobile Videoconferencing/Presentation Cart with Rack	3 rackspaces	12 rackspaces + 10" Lever Lock plate
Dual 42" - 55"	VTC-4255D-R	Mobile Videoconferencing/Presentation Cart with Rack	3 rackspaces	12 rackspaces + 10" Lever Lock plate
Dual 56" - 70"	VTC-5670D-R	Mobile Videoconferencing/Presentation Cart with Rack	3 rackspaces	12 rackspaces + 10" Lever Lock plate

Please note: cameras, displays, and mounted equipment are shown for illustration purposes.

1 Cart Base





2 Lower Frame



3 Upper Frame



This area is for mounting Codecs, media extenders, power supplies, and similar small devices.

Patented Lever Lock™ mounting plate is easy to install & service. Additional Lever Lock mounting plates are available. Also includes 8 outlet 15 Amp power strip with surge and circuit breaker.


Start by installing your heaviest equipment in the 3 rackspaces in the base section.

This location helps maintain stability, & is ideal for a UPS or amplifier.

If your equipment is 12" deep or less, you will also have room for non-rackmount gear in the front, such as a DVD player or interfaces.



Back of base features an area for umbilical cable storage or connection points.



The lower frame mounting location provides 4U of "knobs up" 18" deep rackmounting.

Perfect for codecs, switcher, processor, and similar equipment.



This mounting space is also great for holding tower-style PCs. The frame includes tie-off points to attach user-supplied straps if desired. (Straps not included.)



Display Mount



Single-mount models are made to hold displays up to 80" and 250 lbs. Dual-mount models are made to hold two displays up to 70", with a combined weight of up to 250 lbs.

38

Camera

Mount



Picture shows single screen version in upper position.

height (positions "A", "B", or "C").

All models come with a versatile camera

mounting shelf. Single screen versions come with a shelf extender bar that can position the camera shelf above or below the display (positions "A" or "C"). Dual screen versions come with a "between screen" shelf mount that can be positioned at the top, center, or bottom of the display

Single Screen Options

Dual Screen Options



(125 lbs. per screen)

Connection panel with AVIP plate knockouts lets installers tailor the unit to the specifics of the application. Connection panel holds up to (6) AVIP plates, (1) UCP and (1) 3" grommets.



Options for VTC Series

Rack Version

Rack option replaces the lower frame 4U mounting area with a 12U x 14" deep rack. Rack frame is removable as a unit to allow easy prestaging, integration or maintenance access.



Storage Drawer

Convenient front storage drawer holds remote controls, manuals, and similar items. Also great for holding wireless microphones and charging stations to support system operation.



Work Surface

This option adds flexibility with a wide work surface that travels with the system. Great for holding laptop computers, DVD player, or any small items needed during system use.



Speaker Shelves

Speaker mount shelves are available in two sizes (5-1/2" and 11" heights) to accommodate many small speaker systems. Speaker mounts include acoustically transparent grille cloth.



Part #	Description		
VTC-DWR-5.5	5.5" high X 7.5"deep, drawer for VTC Series		
VTC-SPK-SH5.5	5.5" high, VTC speaker shelf only		
VTC-SPK-SH11	11" high, VTC speaker shelf only		
LL-VTC-K	VTC Lever Lock™ kit, (2) LL receptacles (1) LL-HC21 (1) LL-VP2110		
VTC-WS-32X12SL	32" wide, 12" deep VTC work surface, slate		
VTC-R1214	12SP EIA, 14" deep, VTC Add-On rack with glass door		



CORPORATE HEADQUARTERS

300 Fairfield Road, Fairfield, NJ 07004, U.S.A. Corporate Voice: 800-266-7225 Fax: 800-392-3955 International Voice: +1 973 839-1011 Fax: +1 973 831-4982

MIDDLE ATLANTIC CANADA

Ottawa, Ontario (Canada Head Office) 113 Iber Road, Ottawa, Ontario K2S 1E7 Corporate voice: 888-766-9770 Fax: 888-599-5009

FACTORY DISTRIBUTION

USA: New Jersey California · Illinois middleatlantic.com

Canada: Ontario British Columbia middleatlantic.ca

A&E Specification sheet available. Please ask for #96-01183.

